

# T. 9, R. 2 W. 1<sup>st</sup> Mer.

Boundary line, 11.

3	5	2	2	1	1	
6	29 <sub>31</sub>	5	23	4	31 <sub>32</sub>	3
38	30 <sub>31</sub>	32	31 <sub>32</sub>	33	33 <sub>34</sub>	1
7	29 <sub>31</sub>	8	23	9	31 <sub>32</sub>	10
22	22	19	18	17	17	12
11	18	17	16	15	14	13
38	38	36	36	35	35	36
10	19	20	21	22	23	24
20	19	14	15	16	16	
10	30	29	28	27	26	25
40	40	42	42	44	44	45
9	31	32	33	34	35	36
6	6	5	5	4	4	

# T. 10, R. 2 W. 1<sup>st</sup> Mer.

Boundary line 54.

48	48	47	47	47	
5	4	3	2	1	52
72	71 <sub>72</sub>	70 <sub>72</sub>	69 <sub>70</sub>	68 <sub>70</sub>	
8	9	10	11	12	52
59	59	60	61	62	
17	16	15	14	13	53
75	74 <sub>76</sub>	74 <sub>76</sub>	73 <sub>74</sub>	72 <sub>74</sub>	
19	20	21	22	23	24
65	65	64	64	63	62
30	29	28	27	26	25
80	80	78 <sub>80</sub>	78 <sub>79</sub>	76 <sub>78</sub>	76 <sub>78</sub>
31	32	33	34	35	36
51	51	50	50	49	49

Township No. 10, Range No. 2, West 1. Mer  
Indiana

North Boundary of S. 10. R. 2. W. 1. Mer.  
1st Mile West from the N. East corner.

- 8.50 a small stream runs S 30 W  
16.91 a Beech 22 ins. dia  
36.07 a White Ash 12 ins. dia.  
50.44 a Beech 20 " "  
80.00 Set a post on descending ground to the West,  
from which a Beech 12 ins. dia. bears South 26  
lbs. dis. & a Beech 16 ins. dia. bears N 37 E 19 lbs. dis.  
Over land gently rising & falling, soil of a middling  
quality, timbered with Beech, White Ash & Poplar  
W. Oak & White Gum timber

West

2nd Mile West

- 9.00 a small stream runs N to W  
15.00 crossed a small Water course descends N. W  
16.68 a Beech 15 ins. dia.  
25.50 a small stream runs N. West  
37.85 a Poplar 20 ins. dia  
53.11 a Beech 18 " "  
67.84 a Do 16 " "  
80.94 Intersected North & South line 4.53 Mts. North  
of the 2d Mile post set on that line, here fixed  
a post from which a White Ash 16 ins. dia. bears  
S 77 E 28 lbs. dis. & a Beech 12 ins. dia. bears  
S 62 W 18 lbs. dis. Over land of a middling quality  
well situated. timber: Beech, Ash, Sugar tree, Oak  
& Poplar — November 8th

West

3rd Mile West

- 8.50 a small Water course descends North West  
12.50 a " " " " North West  
15.84 a Blue Ash 22 ins. dia, enter a bottom.



# J. 10. R. D. M. 1<sup>st</sup> Nov.

- 18.00 To the bank of a creek 60 lbs. wide, runs S 60 W, low small bottoms on each side
- 36.38 To a sugar tree 18 ins. dia
- 41.50 Begin to ascend the side of a steep hill
- 47.00 Rose the hill
- 50.00 a deep hollow bears South
- 57.50 Begin to descend
- 58.00 a stream 6 lbs. wide runs South & begins to ascend
- 61.00 Rose the hill, poor land
- 80.00 a post from which a Sugar tree 6 ins. dia. bears N 89 E 29 lbs. dis. & a Hickory 18 ins. dia. bears S 58 W 17 lbs. dis. over broken hilly land generally thin soil, (Oak; Hickory, some Ash & Sugar tree timber, green & Dogwood (N. G.)

West

## 1<sup>st</sup> Mile West

- 25.74 a Birch 16 ins. dia. much (N. G.) land descends S. W.
- 37.06 a Do 18 " " — begin to descend a hill
- 52.46 a Do 16 " " — descending steep hill
- 58.60 descended into the bottom on W. Water river, rich land
- 65.66 a White Oak 18 ins. dia
- 69.50 To the bank of White Water running S 15 W
- Encamped — Friday, November 11<sup>th</sup>
- 80.00 a post from which a W. Walnut 18 ins. dia. bears N 28 E 25 lbs. dis. & a Buckeye 12 ins. dia. bears S 57 E 41 lbs. dis. enter rich bottom — Over land similar to the preceding mile, excepting the bottom land

West

## 5<sup>th</sup> Mile West

- 7.00 Begin to ascend a hill
- 15.00 Rose the hill land of a middling quality producing much brush
- 17.65 a White Oak 30 ins. dia
- 23.00 a stream 30 lbs. wide, runs N 10 E
- 25.00 Begin to ascend steep hill
- 30.00 Rose the hill good Wheat land
- 45.60 Intersected the Indian boundary. fixed a post from

which a Sugar tree 12 ins. dia. bears S 4<sup>th</sup> W 25 lbs. dia. &  
a Sugar tree 14 ins. dia. bears N 25 E 31 lbs. dia. Over  
broken land generally good soil, thinly timbered with  
Oak, Hickory, Sugar tree & Poplar, much under growth

South Boundary of S. 10. R. 2. W. 1<sup>st</sup> Mer. West from the S. East corner

- 13.50 a Water course 5 lbs. wide, runs N 20 W  
16.00 a Buck 15 ins. dia.  
23.15 a Water course 4 lbs. wide, runs N 85 W  
36.80 a Hickory 18 ins. dia.  
56.58 a Poplar 18 " "  
70.54 over rich land timbered with Oak, Ash, Sugar tree &  
Buck, came to a stream 4 lbs. wide, runs N 30 W  
71.00 a White Oak 18 ins. dia.  
80.00 over rich level land timbered with Oak, Ash, Sugar tree  
& Beech, much under growth - set stake at the corner of  
Sec. (No. 1 & 2. T. (No. 9. R. (No. 2. W. & corner of Sec. (No. 35  
& 36. T. (No. 10. R. (No. 2. W. of Mer. a Poplar 28 ins. dia.  
bears N 48 W 14 lbs. dia. & a Gum 16 ins. dia. bears S 27 W  
4 lbs. dia. Marked & numbered to the plan

West

2<sup>nd</sup> Mile West

- 1.40 an Oak 20 ins. dia.  
9.00 over level land rich soil Oak, Ash &c. begin to descend  
17.00 Descended a hill to a stream 18 lbs. wide, runs N 20 W  
rapid & stony  
19.00 Begin to ascend a hill  
24.00 passed over a small hill to a W. course runs N 10 W  
25.00 Begin to rise a hill  
28.25 a Sugar tree 12 ins. dia.  
35.38 over rough points of hills to a Water course 4 lbs.  
wide runs N 10 E  
47.00 over rough points of hills, thin soil, timber  
Oak Hickory &c. - commenced rich land -  
48.75 a Blue Oak 16 ins. dia.

S. W. R. D. W. 1<sup>st</sup> Me.

- 50.15 a stream 5 lbs. wide runs N 60 W  
 70.00 a stream 25 lbs. wide runs to the left of the line  
 73.00 crossed a stream <sup>again</sup> 30 lbs. wide runs N 50 W  
 77.20 over rich bottom land timbered with Oak, ash, Walnut &c. Intersected the line run North from the corner of Sec. (No. 10 & 11 T. No. 9. R. (No. 2 W. of Mer. & fell North of the end of that line 3 chains. Continued said line North. Set stake at the corner of Sec. (No. 2 & 3. T. No. 9. R. (No. 2. W. a Blue Ash 20 ins. dia. bears S 47 W 15 lbs. dis. & a Buckeye 16 ins. dia. 23 lbs. dis. bears S 63 E. Marked and numbered to the plan

West

3<sup>rd</sup> Mile West

- 5.90 a White Oak 16 ins. dia  
 7.50 a Water course 30 lbs. wide runs S 65 W  
 96.88 a Hackberry 15 ins. dia  
 42.50 a stream of water 50 lbs. wide runs N 50 W. came over rich bottom timbered with Oak, Ash, Walnut &c.  
 56.00 over rich bottom  
 56.70 Rose a small ascent a Sugar tree 13 ins. dia.  
 76.68 a Honey Locust 14 ins. dia  
 80.00 over rich fertile bottom timbered with Oak, Walnut, Buck &c. Set stake at the corner of of Sec. (No. 3 & 4 T. No. 9. R. (No. 2. W. of the Mer. a Hackberry 28 ins. dia. 29 lbs. dis. bears N 70 W & another Do. 24 " " 14 " " " S 45 E

West

1<sup>st</sup> Mile West

- 6.00 came to a stream 50 lbs. wide runs S 40 W. rapid & strong, came over rich bottom  
 7.00 began to ascend steep hill  
 18.53 Rose steep hill a White Oak 12 ins. dia. in the line  
 30.50 a Blue Ash 16 ins. dia  
 35.00 Descended steep hill  
 43.00 Down a continued descent to a stream 4 lbs.

- wide runs S<sup>20</sup>W. begin to ascend steep hill  
 46.50 over a small hill to rich bottom  
 54.60 a Sycamore 6 feet diameter  
 65.00 Come over rich bottom to White Water River, which  
 I suppose to be the N. fork or N. East fork of  
 White Water  
 68.50 crossed White Water river somewhat rapid  
 74.00 over rich bottom to the foot of a hill  
 79.40 Rose a hill. a Sugar tree 18 ins. dia. in the line  
 80.00 Set stake at the corner of Sec. No. 4 and 5. Town  
 No. 9. R. No. 2. W. of Mer.

West 5<sup>th</sup> Mile West

- 6.20 a Buck 16 ins. dia  
 14.72 a Do 18 ins. dia. on the top of a bank or ridge,  
 a stream of water to the right  
 27.00 Rose steep hill, rich soil timber with Oak, Ash,  
 Sugar tree &c. Begin immediately to descend a hill  
 40.50 Down steep hill to a Water course runs N. came  
 over land much covered with brush  
 46.50 descended hill to a stream of water 30 Yds. wide, runs  
 N<sup>10</sup>E Rapid & stony  
 80.00 over very rough hilly land, one hill succeeding  
 another, very steep & thin soil timber with Oak  
 Hickory &c. Set stake at the corner of Sec. No. 5 & 6  
 (T. No. 9. R. No. 2. W. a Sugar tree 12 ins. dia.  
 bears N<sup>16</sup>E 8 Yds. dis. & a Hickory 16 ins. dia. bears  
 S<sup>27</sup>W 37 Yds. dis. Marked & numbered to the place  
 September 27<sup>th</sup> 1860

West 6<sup>th</sup> Mile West

- 6.50 descended steep hill begin to rise another  
 9.54 an Elm 16 ins. dia.  
 10.00 Rose steep hill  
 14.74 a Gum 15 ins. dia  
 17.00 Descended a gradual descent to a Water course

# S. 10. R. 2. W. 1<sup>st</sup> Mer

4 lbs. wide runs North the whole of this line very  
brushy.

26.20 a Water course 6 lbs. wide runs N 30° E commen-  
-ced on level land

36.77 a Beech 14 ins. dia

49.20 over level land soil 2<sup>nd</sup> rate timbered with  
Oak, Ash Beech &c. Intersected the Indian  
boundary line. set stake on the boundary  
3.50 lbs. South of the 56 (mile post from the  
Ohio River) a Hickory 12 ins. dia. bears N 41° W  
36 lbs. dis. & a Gum 13 ins. dia. bears S 47° E  
46 lbs. dis. All as tied & numbered to the plan.

October 1<sup>st</sup> 1800

East Boundary of S. No. 10. R. No. 2 W.  
South 1<sup>st</sup> Mile South from the N. East corner

20.15 a Poplar 40 ins. dia

22.00 a creek 20 lbs. wide, runs S 60° W

25.50 Rose steep bank 60 feet high

40.95 a Hickory 22 ins. dia.

60.00 a stream 10 lbs. wide, runs N 60° W

68.97 a Poplar 24 ins. dia.

80.00 a post from which a Poplar 30 ins. dia. bears  
N 5° W 22 lbs. dis. & a Poplar 22 ins. dia. bears  
S 31° W 5 lbs. dis. Over excellent land & well sit-  
-uated - good Poplar, White Oak & Ash timber  
with Beech & Sugar tree. Spice & cedar growth.

South 2<sup>nd</sup> Mile South

5.00 a Water course descends N. W.

18.03 a Poplar 18 ins. dia

22.00 a small Water course descends West

37.44 a Beech 14 ins. dia

56.45 a Do 15 " "

80.00 Set a post from which &c. Over land in quality  
& natural growth like the preceding mile,



excellent Poplar & White Oak timber

South

3<sup>rd</sup> Mile South

- 10.00 a small Water course descends S<sup>2</sup>0°E  
 12.50 a creek 20 lbs. wide runs S<sup>1</sup>0°W  
 22.03 a White Oak 20 ins. dia  
 36.50 a stream 6 lbs. wide runs N. W  
 57.80 a Poplar 40 ins. dia  
 60.00 crossed a small stream descends West  
 72.00 a small stream runs West  
 80.00 Set a post from which a Beech 18 ins. dia. bears  
 N 35° W 7 lbs. dis. & a Beech 16 ins. dia. bears S<sup>1</sup>1°E  
 29 lbs. dis. Over land well situated of good quality,  
 timber Beech, Ash Sugar tree, large Poplar &  
 Oak— Spruce under growth

South

1<sup>st</sup> Mile South

- 5.50 a small stream runs N. W  
 15.98 a Beech 22 ins. dia  
 35.00 a small Water course descends S. W.  
 45.21 a Beech 24 ins. dia.  
 46.00 a Water course descends West  
 60.36 a White Oak 24 ins. dia  
 73.50 a creek 20 lbs. wide runs West  
 80.00 Set a post. over pick land heavily timb<sup>d</sup> with  
 Poplar, Ash. Sugar tree, Beech & Oak

South

5<sup>th</sup> Mile South

- Commenced at the four mile post from which  
 a White Gum 18 ins. dia. bears S<sup>1</sup>5°E 25 lbs. dis.  
 & a Sugar tree 6 ins. dia. bears N 13<sup>1</sup>/<sub>2</sub>° W 22 lbs. dis.  
 16.05 a Black Oak 16 ins. dia  
 16.50 a small Water course descends West  
 28.27 a White Oak 22 ins. dia  
 47.00 crossed a Water course descends West  
 57.50 a Poplar 20 ins. dia.



## S. 10. R. 2. W. 1. Mer.

- 63.00 creped a path leading East  
 80.00 a post. from which a Beech 10 ins. dia. bears  
 N 87° E 12 lbs. dis. & a Beech 16 ins. dia. bears  
 S 68° W 25 lbs. dis. Over good farming land, well  
 situated, good White Oak, Beech, Ash and  
 Sugar tree timber & Hickory

6<sup>th</sup> Mile South

- 10.51 a Beech 22 ins. dia  
 30.00 Begin to descend  
 35.00 Descended to a creek 15 lbs. wide running N 60° W  
 Sunday 16<sup>th</sup> November  
 44.44 a Beech 16 ins. dia  
 45.00 Rose the hill  
 59.50 a deep hollow  
 80.00 a post from which a Beech 18 ins. dia. bears  
 S 52° W 38 lbs. dis. & a Sugar tree 10 " " "  
 N 42° E 20 lbs. dis. The last 1/2 mile over broken  
 land & thin. the other 1/2 of better quality and  
 level

## Thence measured South

- 6:20 Intersected the South Boundary lbs  
 of 6 mile post; here fix'd a post. from  
 which a Sugar tree 6 ins. dia. bears N 47° E 26  
 lbs. dis. & an Elm 30 " " " N 75° W 37  
 lbs. dis. here is a small water course descending  
 N 60° W. Numbered the trees by the plan

Indian or West Boundary of Town  
 No. 10. Range No. 2 West of the Mer.  
 Commenced at the 55<sup>th</sup> Mile on the Indian  
 Boundary line which was run from the North  
 Bank of the Ohio River opposite to the mouth  
 of the Kentucky River to Fort Recovery  
 course N 52° E

56<sup>th</sup> Mile

- 22.50 a Water course descends N. East  
 35.00 descended a hill to a Water course 6 Mts. wide  
 running East & Begin to ascend  
 42.00 Rose the hill level land Oak & Beech timber  
 56.11 a Hickory 15 ins. dia  
 80.00 A maple notched on four sides for a corner  
 & no? No. 56. 14 ins. dia. Along this mile is  
 level land but little under-growth, timbered  
 with Beech, Hickory, Maple, Gum & W. Oak

*5 7<sup>th</sup> Mile*

- 20.00 Begin to descend a hill  
 31.50 Descended into a small stream  
 35.50 to a creek 50 Mts. wide, runs S.E. heads meander-  
 -ing North  
 40.00 a Water Poplar 28 ins. dia. on the bank of the  
 creek heading N. West  
 51.00 Rose steep brushy hill  
 66.00 a stream 6 Mts. wide, runs S.E. steep hills each side  
 80.00 a post, from which a White Oak 16 ins. dia. bears  
 S 89° W 12 Mts. dis. & a White Oak 36 .. ..  
 N 74° E 14 Mts. dis. Over land considerably uneven  
 the soil of a good quality producing Beech,  
 White Oak, White Oak & Hickory

*5 8<sup>th</sup> Mile*

- 11.22 a Red Oak 16 ins. dia  
 37.05 a .. .. 14 .. ..  
 40.00 a Water course descends N. East 4 Mts. wide  
 43.00 a small Spring branch runs East  
 57.50 a small Water course descends East  
 66.00 enter rich bottom land.  
 70.00 crossed a stream 10 Mts. wide, runs S.E.  
 80.00 Set a post from which a Hickory 12 ins. dia bears  
 S 47° W 43 Mts. dis. & a Beech 8 ins. dia. bears,  
 N 30° W 52 Mts. dis. over land generally broken

S. 10. R. 2. W. 1<sup>st</sup> Mer.

with hills good soil, producing much brush or  
under wood

59<sup>th</sup> Mile

- 25.48 a White Oak 15 ins. dia. enter level good Wheat  
land, good 13 & 17. Oak timber
- 55.00 a White Oak 14 ins. dia.
- 64.00 a Water course descends East, 4 hrs. wide
- 67.50 a small Water course descends East
- 80.00 Set a post from which a White Oak 20 ins. dia.  
bears S 80 W 15 hrs. dis. & a Black Oak 22 .. "  
" S 72 E 14 hrs. dis. Over land of excellent  
quality for the production of small grain &  
well situated - tall White & Black Oak timber

60<sup>th</sup> Mile

- 17.20 a Black Oak 18 ins. dia.
- 53.50 a Stream 15 hrs. wide runs East
- 64.00 a small Water course .. "
- 67.00 a small Water course runs East - steep  
high banks.
- 80.00 a post from which a Sugar tree 12 ins. dia.  
bears S 57 W 22 hrs. dis. & a Sugar tree 6 .. "  
" S 51 E 21 hrs. dis. Over land similar in  
quality to the preceding mile. much Spice brush  
& other undergrowth & green briars - producing  
Sugar tree Hickory & Oak timber.

61<sup>st</sup> Mile

- 17.50 a path leading East & West
- 19.50 crossed a Spring branch
- 38.50 a Bottom Oak 22 ins. dia.
- 48.50 the head of a Spring branch, runs S. W
- 75.00 through the brush & fallen timber, land is  
thickly covered with brush, grape vines & green  
briars. entered land covered with Black timber

30.00 To a Red Elm 15 ins. dia., marked & numbered on four sides for a corner, on the North bank of a small stream descends North East, this mile is thickly covered with brush - soil of a middling quality

*1/2 Mile*

30.00 on the side of a steep brushy hill, rising West  
45.30 a Sugar tree 12 ins. dia  
50.00 a deep hollow & Water course descends N.E.  
59.30 a White Oak 28 ins. dia., much under growth  
62.30 Begin to descend steep hills, much brush  
64.00 To a Spring branch runs E. enters rich bottom  
68.50 To a creek 40 lbs. wide runs East, good water and rapid  
80.00 Set a post from which a Sugar tree 12 ins. dia. bears S 55 E 5 1/2 lbs. dia. & a Lyrus 20 ins. dia. bears S 5 W 11 lbs. dia. - Over extremely brushy & uneven ground much dead & fallen timber

*Subdivisions of 1/2 Mile Block*

North Between Sec. No. 4 & 5. T. 10. R. 2. W.  
11.00 On the West bank of White Water running S 20 W 2.30 lbs.  
22.46 a Hackberry 22 ins. dia. - good bottom land  
47.23 a Do 18 " " - rich bottom land  
64.00 the bank of White Water running S 20 E 200 lbs. wide, high good land on the West  
80.00 a post from which a Black Walnut 18 ins. dia. bears S 88 W 8 lbs. dia. & a Buckeye 16 ins. dia. bears N 9 W 17 lbs. dia. - Over rich land principally of the best quality - Black Walnut Hackberry, Sugar tree ash, 1 Buckeye timber, with Spice sprinkly Ash & Pawpaw under growth

South Between Sec. No. 8 & 9

9.00 a Water course 10 lbs. wide, runs South east

S. 10. R. 2. W. 1<sup>st</sup> Mer.

- 12.93 a White Oak 15 ins. dia. enter land & the bly covered with brush
- 29.19 an Elm 12 ins. dia. rich land, much large thistle & other weeds, but little timber
- 43.88 a Hackberry 20 ins. dia.
- 50.00 begin to ascend side of a hill rising West
- 64.93 a Blue Ash 22 ins. dia. side of a hill rising West. begin to descend.
- 80.00 Descended & fixed a post from which a Buckeye 12 ins. dia. bears S 9° W 31 lbs. dia. & a Blue Ash of like diameter bears N 63° E 31 lbs. dia.
- Over rich land, a forest cover in Blue & White Ash, Black Walnut, Hickory & Sugar tree timber, with much Spice & Ash under growth & high weeds — No trees Section 8, 9, 16 & 17. T. No. 10. R. No. 2. W.

## South Between Sect. No. 16 &amp; 17

- 6.00 a Water course descends E. 10 lbs. wide
- 10.00 a path leads S. W. rich & pleasant situation.
- 16.48 a Black Walnut 24 ins. dia
- 40.08 a cherry 18 ins. dia
- 60.34 a Honey Locust 16 ins. dia
- 62.00 descended into low bottom.
- 65.50 Bank of White Water runs S. W. 250 lbs. wide
- 76.00 a path leads South West
- 80.00 Set a post from which a Honey Locust 12 ins. dia. bears S 40° E 36 lbs. dia. & a Buckeye 6 "
- " " S 53° W 15 lbs. dia. — Over rich land generally, much good bottom, Black Walnut, White & Blue Ash, Cherry, Hackberry, Buckeye Sugar tree — with Spice & Richly Ash under growth.

## South Between Sect. No. 20 &amp; 21

- 9.00 the East bank of White Water running S 10° E
- 24.42 a Blue Ash 18 ins. dia



- 32.00 Rose a bank about 50 feet good land  
 40.50 Descended to a Water course descends East - steep  
 brushy hills  
 48.00 a small Water course descends E. steep hills each side  
 61.55 a Buckeye 12 ins. dia. enter rich & high bottom land  
 73.00 a small Water course descends S 20 E  
 80.00 Crossed a small Water course descends East, steep  
 hills each side, fixed a post - over rich land gen-  
 erally - some parts broken with hills & Water courses  
 thinly timbered, with much under growth of Spice  
 & other brush, briars &c. Ash, Walnut, Hackberry  
 & Buckeye timber

West Between Sec. Nos. 8 & 17

- 13.35 a Hickory 22 ins. dia. point of a ridge descends S. W.  
 29.43 a Black Oak 18 ins. dia  
 42.00 a Water course descends South East - a path leads  
 up the same  
 45.06 Rose a steep precipice to a Poplar 30 ins. dia.  
 68.08 Intersected the Indian Boundary - fixed a post  
 from which a Sugar tree 10 ins. dia. bears S 30 E 12  
 fms. dis. & a Blue Ash 14 ins. dia. bears S 64 W 13  
 fms. dis. Over extremely hilly & brushy land. the  
 soil good - Sugar tree Poplar Ash Oak & Walnut  
 timber. Ironwood, Spice wood, & Brush of all kinds  
 Grape vines & briars - returned to the corner of Sec.  
 No. 8. 9. 16 & 17.

East Between Sec. Nos. 9 & 16

- 4.52 a Black Walnut 22 ins. dia.  
 34.88 a Blue Ash 20 ins. dia. on a bank 20 feet high,  
 then descend into low river-bottom  
 43.00 the bank of White water running N 10 W - 200  
 fms. wide  
 53.00 a Bayou or part of the River, run when high, began  
 to ascend a hill, mouth of a Water course runs East.



S. 10. R. 2. W. 1<sup>st</sup> Mer.

with the line

- 55.84 a Beech 14 ins. dia  
 50.00 a post, from which an Ironwood 4 ins. dia. bears  
 N 85 W 32 lbs. dia. & a Sugar tree 12 ins. dia. bears  
 N 54 E 22 lbs. dia. The last  $\frac{1}{2}$  mile ascending  
 ground extremely fruitful soil of a middling  
 quality - some Oak, Hickory, Ash & Sugar-tree  
 timber - The 1<sup>st</sup>  $\frac{1}{2}$  excellent timber

East Between Sec. No. 10 &amp; 15

- 21.83 Rose the ascent a White Oak 20 ins. dia. cuter land  
 producing White Oak timber, but little under growth  
 41.02 a White Oak 30 ins. dia  
 52.54 a " " 26 " "  
 50.00 Set a post, from which Sec. Over good Wheat  
 land, excellent White Oak timber & well situated  
 for cultivation - some Hickory, Beech oak & Gum  
 timber

South Between Sec. No. 2 &amp; 3

- 2.50 a Stream 6 lbs. wide, runs West - steep bank on  
 the South 40 feet high  
 10.50 a Stream 6 lbs. wide runs N. W  
 11.22 a Beech 12 ins. dia  
 23.76 a White Oak 28 ins. dia  
 38.70 a Beech 16 " "  
 39.50 a small Water course ascends N. East  
 60.40 a Hickory 24 ins. dia  
 66.00 Begin to descend a hill  
 76.00 descended the hill to a creek 10 lbs. wide, runs  
 West - strong & rapid  
 80.00 Rose the hill to a Sugar tree 6 ins. dia. notched  
 on four sides for a corner - Over level good land  
 generally - Beech, Oak, Oak, Sugar & Poplar timber

South Between Sec. No. 10 &amp; 11

- 3.00 forks of a Water course. one branch heads South,  
the other East & runs W. ascending brushy ridge
- 25.60 Rose the hill to a White Oak 30 ins. dia.
- 52.92 a White Oak 22 ins. dia.
- 85.83 Intersected the East line, ran 60 lbs. West of the  
post set, here fixed a post from which a Beech 18  
ins. dia. bears N 86 E 23 lbs. dis. & a Beech 6 ins. dia  
bears S 49 W 10 lbs. dis. Over level good Wheat land  
excepting the last to which is hilly excellent White  
Oak timber, some Beech, Hickory Ash & Sugar tree.  
No trees sections No. 10. 11. 14 & 15 of T. W. R. D. (No. 2  
West of the Meridian

South Between Sect. No. 14 & 15

- 13.50 a stream 10 lbs. wide, runs S 20 W
- 23.55 a Maple 16 ins. dia. thin land -
- 27.00 a Water course descends West
- 32.00 a small Water course descends North west
- 53.08 a White Oak 24 ins. dia
- 72.50 a stream 10 lbs. wide, runs S. W.
- 80.00 a post. from which a Beech 10 ins. dia. bears  
N 10 E 61 lbs. dis. & a Beech 18 ins. dia. bears S 8 W  
48 lbs. dis. Over thin clay land timber with  
Beech, maple & some Oak, the latter in brushy

South Between Sect. No. 22 & 23

- 5.50 a Water course descends S 60 W, much brush
- 21.43 a White Oak 36 ins. dia.
- 51.23 a " " 22 " "
- 59.50 a small Water course descends West
- 80.00 set a post - Over good Wheat land Beech, Oak &  
White Oak & Sugar tree timber with Dogwood,  
Spice & Sassafras undergrowth - many places  
extremely brushy

East Between Sect. No. 11 & 14

S. 10. R. 2. W. 1<sup>st</sup> Mer.

- 7.00 a small Water course descends South  
 10.00 a " " " " S.W.  
 12.15 a Red Oak 20 ins. dia  
 12.50 a Water course descends S.W.  
 12.65 a White Oak 28 ins. dia, open woods, no under growth  
 62.60 a Beech 16 ins. dia  
 67.60 a Stream 10 Mts. wide runs North  
 80.00 a post from which a Red Oak 30 ins. dia. bears  
 S 88° W 34 Mts. dis. & a Beech 12 ins. dia. bears S 74° E  
 16 Mts. dis. Over pleasantly situated Wheat land  
 good White Oak, Poplar & Oak Timber — free  
 from under growth

## East Between Sec. No. 12 &amp; 13

- 6.50 a small Water course descends N 50° W  
 11.79 a Beech 16 ins. dia  
 31.93 a Do. 12 " "  
 46.34 a White Oak 24 ins. dia  
 61.00 a small stream descends South  
 68.00 a small Water course descends South  
 78.50 a small stream runs South  
 80.13 Intersected the East Boundary of the Township  
 5.61 Mts. South of the 2. mile — here set a post  
 from which a Beech 16 ins. dia. bears N 70° W  
 13 Mts. dis. & a Beech 10 " " " N 60° E  
 9 Mts. dis. — Over rich land, tall Ash, Oak,  
 Beech, Sugar tree, Hickory, Poplar, free from  
 under growth

## West Between Sec. No. 24 &amp; 25

- 8.16 a Poplar 30 ins. dia  
 15.50 a Stream 20 Mts. wide, runs S 20° W  
 30.65 a Poplar 24 ins. dia. open woods, tall timber  
 59.29 a Beech 18 " "  
 77.50 a Spring branch runs N 50° W  
 80.00 a post from which a Blue Ash 12 ins. dia. bears

S 57 E 21 Mts. dis. & a Poplar - 20 ins. dia. bears S 62 W  
17 Mts. dis. - Over excellent rich land: good White  
Oak, Poplar, Walnut, White & Blue Ash, Buck &  
Sycamore, Timber, but little undergrowth of Spine

---

West Between Sec. No. 23 & 24

- 15.49 a Poplar 18 ins. dia  
25.00 Begin to ascend  
29.00 a small Water course descends S.E.  
35.00 a creek 20 Mts. wide runs S to W  
45.00 a Water course descends S.E.  
49.45 a Hickory 20 ins. dia. ascending ground  
78.78 Intersected the North & South line 7.38 Mts. North  
of the two mile post - from which a Hickory 10  
ins. dia. bears N 68 W 15 Mts. dis. & a White Spruce  
12 ins. dia. bears N 36 E 29 Mts. dis. over land well  
timbered - similar to the preceding mile in quality  
but somewhat uneven, here No. 2 per plan

---

South Between Sec. No. 26 & 27.

- 25.00 a path leads N 60 W  
26.57 a Sugar tree 12 ins. dia. - began to descend.  
40.00 descended steep hill a Water course runs S.E.  
42.00 enter bottom land  
46.50 a creek 40 Mts. wide, runs S to W  
55.00 Begin to ascend a hill  
67.00 Rose the hill  
74.12 a White Ash 18 ins. dia. - descended to a stream  
runs West  
80.00 Rose a hill, set a post. from which a Sugar tree  
10 ins. dia. bears N 30 W 24 Mts. dis. & a Dogwood 4  
ins. dia. bears S 17 E 17 Mts. dis. Over rough and  
uneven ground, with much undergrowth,  
Buck. Oak, Hickory & White Ash timber, with  
Dogwood & Ironwood
-

S. 10. R. 2. W. 1<sup>st</sup> Mer.

South Between Sec. (No. 34 & 35.) T. (No. 10. R. (No. 2. W.

- 17.19 a White Oak 16 ins. dia.  
 30.72 a Sugar tree 18 " "  
 50.00 Begin to descend a hill  
 59.00 a Water course 10 lbs. in dia descends West  
 74.28 a White Oak 30 ins. dia.  
 80.00 Begin to descend a hill  
 89.61 I descended into bottom, intersected the P. Boundary  
 of the Township surveyed by Wm. Ludlow 15.56 lbs.  
 W. of his two mile post, here fixed a post, from  
 which a W. Oak 12 ins. dia. bears S 74 E 22 lbs. dia. &  
 a Hackberry 12 ins. dia. bears S 76 W 14 lbs. dia. Over  
 uneven land, thin soil, generally with much under-  
 growth of Dogwood, Ironwood grapevines Spice & other  
 brush - Not 2 trees by the plan. Sec. No. 34 & 35  
 T. No. 10. R. No. 2. W. of the Mer.

West Between Sec. (No. 22 & 27.) T. 10. R. 2. W.

- 12.00 a Spring branch runs North  
 21.54 a White Oak 30 ins. dia  
 22.00 a small Water course descends N.  
 35.00 a " " " " "  
 39.06 a White Oak 28 ins. dia  
 51.16 a " " 20 " "  
 53.00 a path leads N 60 W  
 62.00 Begin to descend the River hill  
 80.00 a post. from which a Sugar tree 12 ins. dia. bears  
 S 65 E 30 lbs. dia. & a Buck 6 ins. dia. bears N 80 W  
 20 lbs. dia. Over land of middling quality good  
 Oak timber - The last is very brushy -

West Between Sec. (No. 21 & 28.) T. 10. R. 2. W.

- 13.93 an Elm 16 ins. dia.  
 16.50 a path leads S 80 W Monday 17<sup>th</sup> Nov. 1800  
 21.00 Said path leads N. West  
 25.00 descended to a bottom, rich good land -  
 33.00 a Blue ash 24 ins. dia



# S. 10. R. 2. W. 1. Sec.

65

- 35.00 a Water course descends South West - a flat in leading down the Water course
- 52.00 Crossed White Water 200 Yds. wide, runs S 20 E
- 62.00 Rose a bank 20 feet on to a second or high bottom
- 67.21 a White Oak 28 ins. dia
- 74.08 crossed a small Water course, descends S 20 E, rose a small bank & intersected the N. & S. line. 5.60 Yds. N. of the 2 mile post. There set a post from which a W. Walnut 10 ins. dia. bears N 30 E 26 Yds. dia. & a Blue Ash 16 ins. dia. bears S 58 E 47 1/2 Yds. dia. Over land of excellent quality, principally bottom land except the 1st 1/4 which is uneven land. Walnut, W & Blue Ash, Sugar tree, Hickory, Buckeye, Hackberry, with Spice & Prickly Ash (under growth), No. 20, 21, 28 & 29 by the plan

- West Between Sec. No. 20 & 29 T. No. 10. R. (No. 2. W.
- 10.11 crossing a small stream, running N 20 E & begin to ascend a brushy hill
- 16.25 Co a Hickory 20 ins. dia.
- 20.00 Rose a steep hill
- 23.50 descended steep hill to a Water course descending N & begin to ascend a hill
- 27.50 Rose the hill, much brush, Oak timber
- 30.10 a Hickory 20 ins. dia.
- 55.00 Enter rich land, the timber is principally Sugar tree, Some Poplar, & Beech & W. Oak
- 63.53 a Hickory 20 ins. dia
- 69.50 a small Water course descends South
- 80.00 a post from which a W. Oak 22 ins. dia. bears N 56 E 49 Yds. dia. & a Sugar tree 6 ins. dia. bears N 110 E 4 1/2 W 114 Yds. dia. Over land of a middling quality generally broken descending East - Oak, Hickory, Ash Sugar tree & Some Poplar timber, much under growth of Spice, Dogwood, Ironwood green briars, grape vines & blackberry briars

West Between Sec. No. 19 & 30 T. No. 10. R. 2. W.



# *T. 10. R. 2. W. 1<sup>st</sup> Mer.*

11.35 Intersected the Indian Burn and here fixed a post from which a Gum 20 ins. dia. bears N 42 E 26 lbs. dis. & a Sugar tree 6 ins. dia. bears S 27 E 11 lbs. dis. Not a Gum & Sugar tree by the place viz. Sect. No. 19 & 30 T. 10. R. 2. W. of the Mer

South Between Sect. Nos. 28 & 29 T. 10. R. 2. W

5.50 a small Water course descends S. E.  
 11.23 a Hickory 18 ins. dia. on side of a hill descends East  
 22.00 a Water course descends S. East  
 34.00 Rose the hill excellent land  
 49.57 a White Oak 20 ins. dia.  
 62.00 Begin to descend a steep hill  
 73.00 descended to a Water course runs S. E. 10 lbs. dis.  
 73.88 a Sycamore 28 ins. dia. & begin to ascend hill  
 76.00 Rose the hill  
 80.00 a post from which a White Oak 16 ins. dia. bears N 62 W 30 lbs dis. & a White Oak 10 " " " S 36 W 32 lbs. dis. Over land broken with hills & water courses good soil & good White Oak timber some Poplar & Walnut, Sugar tree Hickory, some Spruce & other undergrowth

South Between Sect. Nos. 32 & 33

7.00 descending a hill to a Water course runs S. E. & begin to ascend a hill, much brush  
 15.23 a Hickory 15 ins. dia.  
 18.00 Rose the hill  
 21.00 Begin to descend hill  
 31.00 descending to a Water course running S. E.  
 32.00 Begin to ascend hill  
 35.00 Rose the hill  
 45.70 a White Oak 24 ins. dia.  
 48.00 Begin to descend  
 58.16 a Poplar 18 ins. dia.  
 63.00 descended into a rich bottom

# S. W. R. D. W. 1<sup>st</sup> Mer.

67

- 86.00 a creek 50 lbs. wide, runs East, dry at present, begin to ascend a steep precipice
- 80.19 Intersected the South Boundary of the Township Surveyed by William Ludlow, here fixed a post from which a Sycamore 18 ins. dia. bears N 1/2 W 6 lbs. dis. & a Sugar tree 6 " "
- " S 41 E 22 lbs. dis. This post stands 14.92 lbs. West of the 1/2 mile post set on said line. Over land of good quality, but some parts broken with hells, much under growth, Dogwood Iron-wood, Sassafras & grape vines. This post stands on side of a steep hill descending North. No trees Sect No. 32 & 33.

*Meanders of White Water River*  
in Town No. 10. Range No. 10 W. of the Mer.  
Commenced surveying the East Bank of White Water up the same from the intersection of the South Boundary of S. No. 10. R. No. 10 W. of Mer the mouth of a creek on the opposite side

- S 5 W 10.00
- N 40 E 20.00 High ground rising from the river
- N 25 E 16.00 a bottom, the high land bears East
- N 7 E 10 lbs. a small island, the water principally on the West side.
- 38.00 a high bottom
- N 14 W 22.00
- N 8 W 11.00 good bottom
- N 50 W 26.50
- N 31 W 9.00
- North 10.00
- N 38 W 9 lbs. mouth of a Water course heads N 20 E, intersected the East & West line
- 32.00
- N 30 W 46.00 good bottom on the East side
- N 17 W 31.50

# T. 10. R. 2. W. 1<sup>st</sup> Mer.

N 47 E 25.50 good bottom on the West and high ground  
on the East side  
 N 20 E 14.50  
 N 31 E 4.30 lbs. mouth of a stream on the W. side  
 12.00  
 N 45 E 15.00  
 N 17 W 20.22 Intersected the East & West line dividing  
Sections No. 9 and 16  
 N 5 E 8.00  
 N 30 E 8.00  
 N 23 W 15 chs. good bottom land  
 26.00  
 N 45 W 22.00 High land on the West side  
 N 20 W 19.50 Mouth of a creek heads N 30 E 100 lbs. wide  
 N 25 E 4.00  
 N 20 W 46.00  
 N 40 W 21.00  
 North 10.50  
 N 33 E 25.50 To the point where the East & West  
line on the North Boundary of the  
10<sup>th</sup> Township intersects the River

Surveyed by  
 Israel and William Sudlow  
 November 1800

---

~~into the 2 mile block~~  
 Subdivisions of T. No. 10. R. No. 2. W. of Mer.  
 Commenced on East side of Township at the  
corner of Sec. No. 1 & 12. — thence on Random  
 West Between Sec. No. 1 & 12  
 13.00 a Spring branch runs N 70 W  
 37.00 a large do. " N 50 W  
 40.00 Set temp. 1/4 sec. post  
 80.00 Set temp. centre post. Broken with small ridges  
 Back, ash, sugar &c. I note

Continued between Sect. (No. 2 & 11)  
 4.00 a Brook 12 lbs. — S 60° W  
 18.00 crossed stream again. N 70° W  
 20.00 a Water course 8 lbs. wide — N 50° W  
 33.00 Came to the brook united 18 lbs. — S 70° W  
 40.00 Set temp.  $\frac{1}{2}$  sec. post  
 42.50 stream crosses line to the right  
 50.00 Came to the old line & fell 1.10 N. of corner to  
 Sect. (No. 2, 3, 10 & 11) — Broken with points of  
 hills, abounds with brush — Sugar-Cane &c,  
 3<sup>d</sup> rate land.

East From corner of Sect. (No. 2, 3, 10 & 11) between  
 Sect. (No. 2 & 11, & 1 & 12) on true line  
 Set  $\frac{1}{2}$  sec. post at average distance  
 moved temp. centre post on true line  
 Continued between Sect. (No. 1 & 12)  
 moved  $\frac{1}{2}$  sec. post to average distance  
 Came to old line corner of Sect. (No. 1 & 12)

North Moved to corner of Sect. (No. 11, 12, 13 & 14)  
 thence on Ransom between Sect. 11, 12, 1 & 2  
 8.00 a Spring branch  
 40.00 Set temp.  $\frac{1}{2}$  sec. post  
 53.00 a Spring branch 5 — N 45° W  
 81.50 a handsome Spring branch — N 40° W  
 85.90 Came to E & W. line. 2<sup>d</sup> rate land. Oak, Oak, Beech,  
 Poplar &c.

Continued between Sect. (No. 1 & 2)  
 3.50 a stream 12 lbs. — West  
 36.00 a Spring branch — S 20° W  
 40.00 Set temp.  $\frac{1}{2}$  sec. post  
 72.00 a handsome Spring branch — N 20° W  
 79.25 Came to North side of Township & fell 8 lbs.  
 West of old post corner to Sect. (No. 1 & 2, 2<sup>d</sup> rate  
 land. conveniently level, Oak, Oak, Poplar, Beech &c

S. M. R. D. W. 1<sup>st</sup> Nov.

South From corner of Sec. P. No. 1 & 2 on true line  
between Sec. P. No. 1 & 2. 11 & 12  
Set  $\frac{1}{4}$  sec. post at average distance from which  
a Buck 16 ins. dia. bears  $N 52^{\circ} E$  30 lbs. dis. & a  
Do. 16 " " "  $N 52^{\circ} W$  37 " "  
Came to E & W line & fell 12 lbs. West of temp.  
centre post - moved it to centre corner of Sec. P. No.  
1. 2. 11 & 12 from which a W. Oak 14 ins. dia. bears  
 $S 66^{\circ} E$  33 lbs. dis. & a Buck 14 ins. dia. bears  $N 76^{\circ} W$   
29 lbs. dist.

East Traveled between Sec. P. No. 1 & 12 & moved  $\frac{1}{4}$  sec. post  
to average distance, from which a W. Oak 30 ins.  
dia. bears  $N 75^{\circ} E$  36 lbs. dis. & a B. Oak 24 " "  
" "  $S 58^{\circ} W$  14 " "

West Traveled West & moved  $\frac{1}{4}$  sec. post between  
Sec. P. No. 2 & 11 to average dis. from which a Buck-  
eye 15 ins. dia. bears  $S 55^{\circ} E$  15 lbs. dis. & a Sugar  
17 " " "  $N 46^{\circ} E$  17 lbs. dis.

South Continued true line between Sec. P. No. 11 & 12  
Set  $\frac{1}{4}$  sec. post at average distance from which  
a Poplar 16 ins. dia. bears  $N 87^{\circ} E$  9 lbs. dis. & a  
Buck 14 " " "  $S 80^{\circ} W$  35 " "  
Came to corner of Sec. P. No. 11. 12. 13 & 14

West From corner of Sec. P. No. 2. 3. 10 & 11 on Random  
between Sec. P. No. 3. 10 & 4. 9  
5.00 a stream 18 lbs. in the line  
15.00 a stream runs North of line  
40.00 Set temp.  $\frac{1}{4}$  sec. post  
63.00 stream 160 lbs. N. of true line  
80.00 Set temp. centre post  
Continued between Sec. P. No. 4 & 9



# S. M. R. D. W. 1<sup>st</sup> Tier.

71

40.00 Set temp.  $\frac{1}{4}$  sec. post  
 53.50 a small creek 50 lbs. S 65 W  
 62.00 The North fork of White Water 150- S 10 W  
 78.00 Came to West side of the block & fell 2.55 lbs.  
 South of corner of Sec. (No. 4. 5. 8 & 9) - 1<sup>st</sup> mile  
 3<sup>d</sup> rate - Last mile bottom broken with drift  
 & channels, made by high water, 2<sup>d</sup> rate land

East - From corner of Sec. (No. 4. 5. 8 & 9) on correct line  
 between Sec. (No. 4. 9. 3 & 10)  
 Set  $\frac{1}{4}$  sec. post at average distance  
 Moved temp. centre post on true line  
 Continued between Sec. (No. 3 & 10)  
 Set  $\frac{1}{4}$  sec. post at average distance  
 Came to old line corner of Sec. (No. 2. 3. 10 & 11)

North Traveled to corner of Sec. (No. 9. 10. 15 & 16) thence  
 on Random between Sec. (No. 9. 10. 3 & 11)  
 37.20 a Water course 8 lbs. wide - S 70 W  
 40.00 Set temp.  $\frac{1}{4}$  sec. post  
 84.80 Came to E & W. line - very hilly 3<sup>d</sup> rate land  
 Oak. Ash. Hickory &c.  
 Continued between Sec. (No. 3 & 11)  
 5.50 a Stream 50 lbs. wide, runs West  
 40.00 Set temp.  $\frac{1}{4}$  sec. post  
 79.80 Came to N. side of Township & fell 5 lbs.  
 East of corner to Sec. (No. 3 & 14) - Hilly 3<sup>d</sup> rate  
 land - Oak. Hickory, Buck &c

South From last mentioned corner, corrected line between  
 Sec. (No. 3. 4. 9 & 10)  
 Moved  $\frac{1}{4}$  sec. post to average distance, from  
 which a sugar-tree 6 ins. dia. bears N 33 W 12  
 lbs. dis. & a Buck 14 " " " S 31 E 20 lbs.  
 Came to East & West line & fell 72 lbs. East  
 of temp. centre post, moved it to centre corner.



## S. 10. R. 2. W. 1. Mer.

to Sect. No. 3. 4. 2910 where an Elm 13 ins. diam. is corner —

East traveled between Sect. No. 3 & 10 and moved  $\frac{1}{4}$  sec. post to average distance. where a Sugar 12 ins. dia. bears S 5° E 20 lbs. dis. & a Poplar 24 " " " N 64° E 20 " "

West Traveled between Sect. No. 4 & 9 & moved  $\frac{1}{4}$  sec. post to average distance — from which an Elm 13 ins. dia. bears N 25° W 25 lbs. dis. & a Box Elder 10 " " " East 25 lbs. dis.

South Continued on correct line between Sect. No. 9 & 10 — moved  $\frac{1}{4}$  sec. post to average distance from which a Sugar 6 ins. dia. bears N 49° W 9 lbs. dis. & a Walnut 14 ins. dia. bears S 17° E 16 lbs. dis. Came to corner of Sect. No. 9. 10. 15 & 16.

West (From corner of Sect. No. 4. 5. 8 & 9 towards the Indian boundary line  
40.00 Set  $\frac{1}{4}$  sec. post, from which a W. Oak 20 ins. dia. bears N 59° W 32 lbs. dis. & a Beech 18 ins. dia. bears S 53° W 54 lbs. dis.  
58.10 Came to Boundary line & set post from which a Sugar 5 ins. dia. bears N 6° W 30 lbs. dis. & a Do 12 " " " N 89° W 44 " " — Millly 3<sup>d</sup> rate land — Oak, Gum, Ash &c.

West Commenced random line on East Boundary at corner of Sect. No. 13 & 24 — thence West  
13.00 a Water course 5 lbs. wide — N 60° W  
36.00 a Spring branch — N 50° W  
40.00 Set temp.  $\frac{1}{4}$  sec. post  
53.50 a Water course 18 lbs. wide runs N 18° W  
80.00 Set temp. centre post — 2<sup>d</sup> rate land, small

ridges, Oak, Ash, Poplar & Bush &c

Continued between Sec. (No. 14 & 23)

- 9.30 a Water course 5 lbs. wide runs N 15° W  
 33.00 a Spring branch runs South  
 40.00 Set temp.  $\frac{1}{4}$  Sec. post  
 40.20 a Spring branch runs South (the Spring  
 50 lbs. North of the line)  
 47.00 a Spring branch runs South  
 78.20 Came to old N & S line & fell 7.63 lbs. North  
 of old post corner to Sec. (No. 14. 15. 22 & 23 -  
 Level Drate land, Oak, Ash, Oak, Sugar &c.

East Connected line between Sec. (No. 14 & 23. 13 & 24

Moved  $\frac{1}{4}$  Sec. post to average distance

Moved temp. cen. the post on true line

Continued between Sec. (No. 13 & 24

Moved  $\frac{1}{4}$  Sec. post to average distance

Came to E. side of Tammah's corner of Sec.  
 (No. 13 & 24

North Traveled to corner of Sec. (No. 23. 24. 25 & 26

thence on Random between Sec. 23. 24 & 13 & 14

- .80 a Water course 6 lbs. wide, runs N 60° W  
 40.00 Set temp.  $\frac{1}{4}$  Sec. post  
 50.00 a Spring branch runs N 70° W  
 72.00 a Water course 15 lbs. wide runs N 60° W  
 77.18 Came to E & W. line  
 Continued between Sec. (No. 13 & 14  
 40.00 Set temp.  $\frac{1}{4}$  Sec. post  
 75.12 Came to old line and fell 14 lbs. West of old  
 post corner of Sec. (No. 11. 12. 13 & 14 - These two  
 miles level Drate land, Oak, Ash, Poplar &c.

South From corner of Sec. (No. 11. 12. 13 & 14 on correct

line between Sec. (No. 13. 14 & 23. 24

Set  $\frac{1}{4}$  Sec. post on true line from which a

S. H. R. D. W. 1<sup>st</sup> Mer.

Stickney 12 ins. dia. bears S 40° E 9 lbs. dis. & a Sugar  
12 ins. dia. bears N 29° W 21 lbs. dis.

Came to East & West line & fell 6 lbs. West  
of temp. centre post - moved it to centre corner  
of ~~Sec.~~ from which a Sugar 14 ins. dia. bears  
S 60° E 36 lbs. dis. & a Red Oak 18 ins. dia. bears  
N 75° W 15 lbs. dis.

East Traveled between Sec. No. 13 & 21 and moved  
1/4 sec. post to average distance, from which a  
Buck 6 ins. dia. bears S 63° E 29 lbs. dis. & a  
Buck 18 " " " S 62° W 12 " "

West Traveled between Sec. No. 14 & 23 and moved  
1/4 sec. post to average distance, from which a  
Buck 8 ins. dia. bears S 42° W 10 lbs. dis. & a  
Maple 16 " " " N 43° W 11 " "

South Continued on correct line between Sec. No. 23 & 24  
(Moved 1/4 sec. post on true line at average distance  
from which a Buck 15 ins. dia. bears S 30° W 17 lbs.  
dis. & an Elm 14 ins. dia. bears N 57° E 5 lbs. dis.  
Came to old state corner of Sec. No. 23, 24, 25 & 26

West From corner of Sec. No. 14, 15, 22 & 23 on  
random line between Sec. no. 15, 22 & 16, 21.

5.00 a stream 12 lbs. wide, runs S 25° W

32.00 a Do 5 " " " South

40.00 Set temp. 1/4 sec. post

80.00 Set temp. centre post - Last 1/2 mile 1<sup>st</sup> rate  
rich land, 1<sup>st</sup> 1/2 mile 3<sup>rd</sup> rate land, Oak, Stickney,  
ash &c.

Continued between Sec. No. 16 & 21

40.00 Set temp. 1/4 sec. post

78.20 Came to old line & fell 5 lbs. South from  
corner of Sec. No. 16, 17, 20 & 21 - Rich bottom

1<sup>st</sup> rate land - Walnut, ash, Sugar Vets

West From corner of Sect. (No. 16. 17. 20 & 21. - thence  
West to the Boundary line  
5.00 to N. fork of White Water 150 (hrs. wide  
40.00 Set 1/4 sec. post, from which a Hickory 8 ins.  
dia. bears N 71 E 20 hrs. dis. & a Do. 16 ins. dia. bears  
S 54 W 28 hrs. dis.  
80.00 Set post corner of Sect. (No. 17. 18. 19 & 20 from which  
a W. Oak 20 ins. dia. bears S 36 E 25 hrs. dis. & a  
W. Oak 34 " " " N 78 W 27 " "  
Rough hilly 3<sup>rd</sup> rate land, Oak, ash, Hickory Vets.

West Continued from last mentioned corner  
50 Came to Boundary line & set stake from which  
a W. Oak 20 ins. dia. bears N 55 W 67 hrs. dis.  
& a Do 26 " " " S 35 E 33 " "

East Returned to corner of Sect. (No. 16. 17. 20 & 21 &  
corrected line between Sect. (No. 16. 21 & 15. 22  
Moved 1/4 sec. post to average distance  
Moved centre post on true line  
Continued between Sect. (No. 15 & 22  
Moved 1/4 sec. post to average distance  
Came to old post corner of Sect. (No. 14. 15. 22 & 23

North Traveled to corner of Sect. (No. 21. 22. 27 & 28 thence  
on Random between Sect. (No. 21. 22. & 15. 16

35.50 a Water course 10 hrs. wide, runs West

40.00 Set temp. 1/4 sec. post

55.00 a Spring branch runs West

74.00 Came to East & West line - 3<sup>rd</sup> rate land, (much  
brush), Oak, Hickory Sugar Vets.

Continued random between Sect. (No. 15 & 16

40.00 Set temp. 1/4 sec. post

80.60 Came to old line & fell 58 hrs. East, from old post.

# J. 10. R. D. W. 1<sup>st</sup> Nov

corner of Sec. No. 9. 10. 15 & 16 - Very hilly, much brush, thin timber Oak, Hickory, Sugar &c.

South From corner of Sec. No. 9. 10. 15 & 16 on correct line between Sec. No. 15. 16. 21 & 22

Moved  $\frac{1}{4}$  sec. post to average distance from which a Black Walnut 14 ins. dia. bears S  $42^{\circ}$  W 28 lbs dis. & a Hackberry 13 " " " N  $53^{\circ}$  W 22 " dis. —

Came to E & W. line & fell 60 lbs. East of post moved it to centre corner of Sec. No. 15. 16. 21 & 22 from which a Sugar 10 ins. dia. bears S  $63^{\circ}$  E 7 lbs. dis. & a Hackberry 6 ins. dia. dis. bears S  $54^{\circ}$  W 23 lbs. dis.

East Traveled between Sec. No. 15 & 22 & moved  $\frac{1}{4}$  sec. post to average distance from which a Black 12 ins. dia. bears S  $66^{\circ}$  E 34 lbs. dis. & an Ironwood 6 " " " N  $72^{\circ}$  E 26 " "

West Traveled between Sec. No. 16 & 21 and moved  $\frac{1}{4}$  sec. post to average distance from which a Sugar 6 ins. dia. bears S  $31^{\circ}$  E 22 lbs. dis. & a Do 12 " " " " N  $75^{\circ}$  E 29 " "  
Came to old post cor. to Sec. No. 21. 22. 27 & 28

East Commenced random between Sec. No. 26. 35. & 25. 36  
10.00 Set temp. in sec. post  
80.00 Set temp. centre post  
Continued between Sec. No. 25 & 36  
22.00 a Water course 18 — South  
40.00 Set temp.  $\frac{1}{4}$  sec. post  
47.00 a Water course 5 lbs — S  $50^{\circ}$  W  
78.80 Came to East side of Township & fell 68 lbs.  
North of old post corner of Sec. No. 25 & 36  
Hilly 3<sup>rd</sup> rate land.



West Returned on true line between Secs. No. 25 & 36  
 Moved  $\frac{1}{4}$  sec. post on true line at average dis.  
 moved temp. centre post on true line  
 Continued between Secs. No. 26 & 35  
 Moved  $\frac{1}{4}$  sec. post on true line at average dis.  
 Came to old post corner of Secs. No. 26. 27. 34 & 35

North From corner of Secs. No. 35 & 36 on S. boundary  
 thence northwardly between Secs. No. 35. 36 & 25. 26  
 on a course calculated upon the principle that  
 the S. Boundary of Sec. 36 is 13.78 Chs. shorter  
 than the N. Boundary of Sec. 25.

27.50 a Water course 20 Chs. wide, runs S 70° W  
 30.00 a " " " 10 " " " S 10° E  
 35.00 cross Sec. again, comes from N 12° E  
 40.00 set temp.  $\frac{1}{4}$  sec. post  
 86.40 Came to E & W. line, Rough hilly & rich land.  
 Oak, Hickory, Sugar &c.  
 Continued Random between Secs. No. 25 & 26  
 40.00 set temp.  $\frac{1}{4}$  sec. post  
 53.50 a Spring branch runs West  
 80.08 Came to old line & fell 10 Chs. East of corner of  
 Secs. No. 23. 24. 25 & 26. Good 2<sup>nd</sup> rate land  
 Oak, ash, Poplar, Sugar &c.

South From corner last mentioned on correct line  
 between Secs. No. 25, 26 & 35 & 36  
 moved  $\frac{1}{4}$  sec. post to average distance from which  
 a Maple 14 ins. dia. bears S 77° E 3 Chs. dis. &  
 a Hickory 15 " " " N 86° W 21 " "  
 Came to E & W. line & fell 6.30 Chs. East of  
 temp. post moved it to centre corner of Secs. No.  
 25. 26. 35 & 36. from which a B. Oak 22 ins  
 dia. bears S 32° W 34 Chs. dis. & a Beech 12 ins. dia  
 bears N 12° W 15 Chs. dis. —

S. W. R. D. W. 1<sup>st</sup> Mer

East Traveled between Sec. (No. 25 & 36 and moved  
 1/4 sec. post to average distance from which a Buck  
 9 ins. dia. bears S 81° E 25 lbs. dis. & a Buck 9 ins.  
 dia. bears N 11° W 27 lbs. dis.

West Traveled between Sec. (No. 35 & 36 & moved  
 1/4 sec. post to average distance from which a  
 Buck 18 ins. dia. bears North 25 lbs. dis. & a  
 Sugar 15 " " " S 26° W 20 " "

South Continued to correct the line between Sec. (No.  
 35 & 36 — Set 1/4 sec. post on true line at average  
 distance, from which a Hickory 16 ins. dia. bears  
 N 46° W 38 lbs. dis. & a B. Oak 20 " " "  
 S 51° E 19 lbs. dis.

Came to South side of Township No. 10,  
 Range No. 2 cor. of Sec. (No. 35 & 36

West Traveled to corner of Sec. (No. 26. 27. 34 & 35  
 thence on Randon between Sec. (No. 27. 34. 28 & 33

14.00 a Water course 18 lbs. wide runs South

40.00 Set temp. 1/4 sec. post

74.50 a Spring branch, runs S 50° W

80.00 Set temp. centre post, 3<sup>rd</sup> rate very hilly land,  
 timber thin & much brush

Continued between Sec. No. 28 & 33

27.50 Came to W. Water 150 lbs. wide

40.00 Set temp. 1/4 sec. post

79.90 Came to old line & fell 114 lbs. North from  
 corner of Sec. No. 28. 29. 32 & 33. 1<sup>st</sup> 1/2 mile  
 rich 1<sup>st</sup> rate bottom — Last 1/2 over broken points  
 of hills much brush thinly timbered — Oak &  
 Sugar tree 3<sup>rd</sup> rate

East From corner of Sec. (No. 28. 29. 32 & 33 on correct  
 line between Sec. No. 28. 33 & 27. 34

Moved  $\frac{1}{4}$  sec. post on true line at average distance  
 Moved centre post on true line

Continued between Sec. (No. 27 & 34 and moved  
 $\frac{1}{4}$  sec. post on true line at average distance  
 Came to old post corner of Sec. (No. 26. 27. 34 & 35

North Traveled to South Boundary of Ournstipe  
 corner to Sec. No. 33 & 34, thence on a Random  
 between Sec. (No. 33. 34 & 27. 28 on a course adjusted  
 to the different lengths of the lines supposed to  
 circumscribe or bound the block

44.50 a Water course 30 lbs. wide, runs S 70° W

40.00 Set temp.  $\frac{1}{4}$  sec. post

90.00 Came to E & W. line - Very hilly 3<sup>rd</sup> rate land  
 much brush & thinly timbered

Continued between Sec. (No. 27 & 28

40.00 Set temp.  $\frac{1}{4}$  sec. post

76.00 a Water course 6 lbs. wide, runs West

78.68 Came to old E & W. line & fell 168 lbs. East from  
 old post. Very hilly 3<sup>rd</sup> rate land, much brush,  
 Oak & Sugar-tree

South From corner of Sec. (No. 21. 22. 27 & 28 on correct  
 line between Sec. No. 27. 28 & 33. 34

Moved  $\frac{1}{4}$  sec. post on true line at average distance  
 from which a W. Oak 7 ins. dia. bears N 78° 5 lbs.

dis. & a W. Oak 8 ins. dia. bears West 32 lbs. dis.

Came to E & W. line & fell 7.45 lbs. East from

temp. centre post - moved post to centre corner

to Sec. (No. 27. 28. 33 & 34 from which a Hack-

-berry 11 ins. dia. bears S 82° 16 lbs. dis. and a

W. Walnut 5 ins. dia. bears N 76° W 18 lbs. dis.

East Traveled between Sec. (No. 27 & 34 and moved

$\frac{1}{4}$  sec. post to average distance from which a

W. Walnut 24 ins. dia. bears S 46° E 24 lbs. dis. &

# G. H. R. G. W. 1<sup>st</sup> Moos.

an Elm 18 ins. dia. bears  $S 70^{\circ} W 4.3$  lrs. dis.

West Traveled between Sec. (No. 28 & 33) moved  $\frac{1}{4}$  sec. post to average distance from which a thorn 4 ins. dia. bears  $N 42^{\circ} W 25$ . & a Buck 8 ins. dia. bears  $S 5^{\circ} E 6$  lrs.

South Continued true line between Sec. (No. 33 & 34) moved  $\frac{1}{4}$  sec. post to av. dis. from which an Elm 5 ins. dia. bears East  $3$  lrs. dis. & a cherry 5 ins. dia. bears  $N 56^{\circ} W 17$  lrs. dis.  
(Continued & came to S. Boundary cor. to Sec. (No. 33 & 34)

West Traveled to corner of Sec. (No. 28, 29, 30 & 33). Thence in random between Sec. (No. 29 & 32, 30 & 31, 36, 27) set the  $\frac{1}{4}$  sec. post

72.50 set temp centre post. 3 rate. uncover, Oak & Sugar—  
Continued between Sec. (No. 30 & 31)

99.00 came to Indian boundary line, at which place blazed & marked on 4 sides of a W. Oak 16 ins. dia. for cor. State land, conveniently level, Oak, Hickory & Sugar

North Traveled to S. Boundary of Township, cor. of Sec. (No. 31 & 32). thence in random between 31, 32 & 29 & 30

10.00 a Water course 15 lrs. wide, runs East

20.00 a " " 10 " " "  $N 15^{\circ} E$

35.00 a " " 10 " " " course in the line

40.00 set the temp  $\frac{1}{4}$  sec. post

48.00 leave Water course to the right

90.00 to E & W. line, very hilly & rough, much brush, Timber Oak, Hickory & Sugar

Continued between Sec. (No. 30 & 29)

13.50 a Water course 4 lrs. wide runs  $N 40^{\circ} E$

21.00 a " " 5 " " "  $N 30^{\circ} E$

27.00 a " " 5 " " "  $N 35^{\circ} E$

40.00 set  $\frac{1}{4}$  sec. post in Water course 15 lrs. runs  $N 70^{\circ} E$

79.40 came to old line & fell 19 lrs. E. from old cor. of Sec. (No.

19. 20. 29 & 30 - Very rough, many short & steep hills  
3<sup>rd</sup> rate, much under brush - Oak, Hickory &c.

North From corner of Sec. No. 19. 20. 29 & 30 between Sec. 19 & 20  
40.00 Set the temple for sec. post

41.00 a Spring branch, runs East

58.00 a " " " N 80° E

73.00 Corner of Sec. No. 17. 18. 19 & 20 1/4 sec. 1/4 sec. W. of  
post - 3<sup>rd</sup> rate level land, Oak, some Poplar Buck &c  
Continued between Sec. No. 17 & 18

6.25 Boundary line a W. Oak 14 ins. dia. cor. blazed on 4 sides

South between Sec. No. 19 & 20 1/4 moved 1/4 sec. post to average  
dis. from which a W. Oak 14 ins. dia. bears S. 62 1/2° W.  
dis. & a R. Oak 22 ins. dia. bears N 30° E 24 1/2° dis.  
Came to old corner of Sec. No. 19. 20. 29 & 30

South From cor. of Sec. No. 19. 20. 29 & 30 on correct line  
between Sec. No. 30. 29. & 31. 32 - Set post at average  
distance from which a Sugar 14 ins. dia. bears S 53° W  
37 1/2° dis. & a R. Bud 5 ins. dia. bears N 53° E -  
Continued true line & came to E & W. line set post,  
from which a Hickory 15 ins. dia. bears S 86° E 29 1/2° dis.  
& a W. Oak - bears N 61° W 43 1/2° dis.

East Traveled between Sec. No. 29 & 32 1/4 moved 1/4 sec.  
post to average distance from which a W. Oak 20 ins. dia.  
bears S 38° W 33 1/2° dis. & a W. Oak 26 ins. dia. bears S 41° E 39 1/2° dis.

South Continued between Sec. No. 31 & 32 1/4 moved 1/4 sec.  
post to average distance from which an Elm 10 ins. dia.  
bears S 41° E 6 1/2° dis. & a Hickory 6 ins. dia. bears  
N 80° W 19 1/2° dis. -

Came to S. Boundary of Town, cor. of Sec. 31 & 32  
Surveyed by Wm. Sudlow D.S.  
in 1805



T. 10 R. 2 W. 1<sup>st</sup> Mer.

I certify that the foregoing Transcript  
of Field Notes of Township No. 10 Range  
No. 2 West of the 1<sup>st</sup> Mer. has been compared  
- ed with the original in this office &  
found to be correct

Surveyor General's Office }  
Cincinnati, Feb<sup>y</sup> 9, 1841 }

C. C. Cairnes  
Lieut.